

SECTION 2 ELECTRONICS

 **WINEGARD**



PAGE 60

 **WINEGARD**



PAGE 62

 **PRIME
PRODUCTS**



PAGE 66

 **KING CONTROLS**



PAGE 65

 **PQN
AUDIO**



PAGE 68

 **WINEGARD**



PAGE 61

WINEGARD® TRAV'LER®

The Best of the Best -
designed to bring you everything
that satellite television offers.

- The only antennas capable of viewing all satellites at the same time
- DIRECTV Slimline is the only antenna to offer complete DIRECTV HD



JUST LIKE HOME

WINEGARD

Trav'ler DIRECTV SlimLine KA/KU

Get everything DIRECTV has to offer with the TRAV'LER Slimline! This fully automatic, one button on/off antenna receives programming from all 5 DIRECTV satellites at the same time for maximum HD and standard DIRECTV coverage! Receives both KU-band satellites (101°, 110° and 119°) and KA-band satellites (99° and 103°) signals simultaneously. Works great with DVRs! Unit wt: 53 lbs., Travel ht: 9.75", Dim: 44"L x 34"W.



SK-3005 DIRECTV Slimline
KA/KU HD Ready

WINEGARD

Trav'ler Dish 1000/Bell TV

DISH Network's premier reflector dish used for home systems. Automatic, one button on/off antenna views all satellites at the same time for maximum reception performance. Works great with DVRs! Receives all DISH Network standard and HD programming from satellites 110°, 119° and 129° simultaneously. Also receives all Bell TV standard and HD programming from satellites 82° and 91° simultaneously. Unit wt: 45 lbs., Travel ht: 9.75", Dim: 42"L x 26"W.



SK-1000 TRAV'LER Dish 1000

WINEGARD

Trav'ler DIRECTV Triple LNB

Ideal for DIRECTV customers interested in receiving all standard DIRECTV programming, not HD. Automatic, one button on/off antenna views all DIRECTV KU-band satellites (101°, 110° and 119°) at the same time for maximum reception performance. Not compatible with DIRECTV KA-band satellites. Works great with DVRs! Unit wt: 43 lbs., Travel ht: 9.75", Dim: 40"L x 24"W.



SK-3003 TRAV'LER DIRECTV Triple LNB

WINEGARD

Communication Cable

25' Extension power/communication cable for TRAV'LER antennas. Connects to existing TRAV'LER power/com. Cable for runs up to 50'.



CL-SK26 Communication Cable

WINEGARD

Mounting Plate

Optional mounting plate designed for extra support in thin roof installations.



SKA-008 Mounting Plate

WINEGARD

Roller Plate

Roller plate design to create a solid landing area for LNB roller arm. Ideal for rubber roofs.



SKA-004 Roller Plate



RoadTrip Mission Automatic Satellite TV Antennas



The RoadTrip Mission antenna offers the same powerful and reliable performance Winegard is known for in an all-new sleek, ultra-compact antenna. Easy one-button on/off automatic operation with DVB technology delivers fast and accurate satellite acquisition. Enhanced antenna design combined with the high gloss rounded dome provide for unmatched signal strength, especially in inclement weather. Receives standard DIRECTV programming; all standard and HD DISH Network and Bell TV programming. Supports two receivers for simultaneous viewing of different programs located on the same satellite. Available in stationary or in-motion; white or black dome options. Wall switch, power and coax cables included. Only 12.9"H x 20" Dia.; unit wt. 14 lbs, ship wt. 22 lbs.

RT4000T RoadTrip Mission In-Motion - White Dome

RT4035T RoadTrip Mission In-Motion - Black Dome

RT4000S RoadTrip Mission Stationary - White Dome

RT4035S RoadTrip Mission Stationary - Black Dome



12V Power Converter

Sunforce 12V power converter allows you to hook up your Carryout to 110V outlet when a 12V outlet is not available. AC/DC converter, 5.8 amps. Unit weight: 1 lb, shipping weight, 1.3 lbs.



GM-1200 12V Power Converter



+12-V Power Supply

Makes a 12 V installs a breeze! Converts any standard 110 VAC electrical outlet to a 12 VDC power source. Output: 13.8 VDC, 6 AMP. Never search for a 12V power source again!



PS-1208 12 V Power Supply



RoadTrip MiniMax In-Motion Antenna



What makes this antenna so great is its MINI size and MAXi-mum signal reception. With the smallest footprint on the market, the Minimax features an enhanced antenna design and a high-gloss rounded dome to deliver maximum performance in bad weather (rain, dew, snow). Easy one-button on/off automatic operation with DVB technology to provide fast satellite acquisition. Single satellite viewing antenna automatically switches between satellites. Supports two receivers so you can watch different programs from the same satellite on two TVs at the same time. Receives all standard and HD programming from DISH Network and Bell TV; standard DIRECTV only. Not compatible with DIRECTV KA-band satellites. Receivers and program packages sold separately. Includes wall switch, power and coax cables. Only 15"H x 20" Dia.; unit wt. only 13.5 lbs, ship wt. 20 lbs.

RT8000T Roadtrip Minimax In-Motion - White Dome

RT8035T Roadtrip Minimax In-Motion - Black Dome

RT8000S RoadTrip Minimax Stationary - White Dome

RT8035S RoadTrip Minimax Stationary - Black Dome



Carryout Tripod Mount

Aluminum tripod elevates your Carryout (both GM-1518 automatic and GM-MP1 manual models) or VuQube portable satellite antenna off the ground for protection from mud and water. Adjustable height settings from 14-1/2" to 22". Sturdy ground anchor, 6" bungee cord and anchor loop hold the tripod and satellite antenna securely. Easy assembly; quickly disassembles for compact storage. Shipping weight, 4.4 lbs. (VuQube is a registered trademark of King Controls.)



TR-1518 Carryout Tripod Mount



Carryout Automatic Portable Satellite TV Antenna



Compact, fully automatic portable satellite TV antenna that goes with you anytime, anyplace! Perfect for RVing, camping, tailgating, races, wooded areas, cabins, vacation homes, back yard BBQ's and so much more! You'll be amazed at how easy this antenna is to set up and operate! No extra remote controls needed or buttons to push - the Carryout is 100% automatic! Runs off of 12V and plugs into standard 12V outlet in your vehicle. Single satellite viewing antenna supports 2 single receivers so you can watch different programs as long as they are on the same satellite. Receives standard DIRECTV programming and all standard and HD programming for DISH Network and Bell TV. Not compatible with DIRECTV KA-band satellites. Features easy grip handle for effortless carrying. Eyelet attached to base provides ability to lock up antenna for added security. Includes 50' power and coax cable. Lightweight and durable: 15.6" dome height, 20" diameter. Unit weight 13.5 lbs, shipping weight 20 lbs.

GM-1518 Carryout Portable Satellite Dish

GM-1599 Carryout Automatic Realtree AP Camouflage Dome

RP-GM35 Black Dome/Handle Only



Carryout Ladder Mount

Mount your Carryout Automatic Portable antenna to the RV ladder for temporary or permanent installation. Weather resistant powder coated mount features quick disconnect, so you can remove your Carryout antenna and set it on the ground or take it with you anywhere! Extends from 19.5" - 23.5" in two inch increments for 3 setting options. Comes with wall plate with on/off switch for convenient operation from inside the coach, cable entry plate, 50' coax and 25' power cable without lighter adapter plug. Verify your ladder/pole can support total weight of Carryout antenna and mount - 20 lbs. Unit weight 5.5 lbs, shipping weight, 8.5 lbs.



GM-3000 Carryout Ladder Mount

WINEGARD

Carryout MP1 Manual Portable Antenna

Extremely compact and super affordable, take this antenna anywhere you go! Perfect for races, tailgating, camping, traveling and other outdoor activities. Manual antenna stores in compact, durable case that doubles as the antenna base when in use. Case features easy grip handle for carrying or locking down. Bubble level, compass and elevation markings molded in base make set up quick and easy. Includes 25' coax cable to allow for optimal antenna placement. Case with antenna measures 16" w x 18.5" h x 10" d, weighs 9 lbs. Supports 2 receivers (not included). Receives standard DIRECTV programming and all standard and HD programming for DISH Network and Bell TV. Not compatible with DIRECTV KA-band satellites.

GM-MP1 Carryout MP1 Manual Portable

WINEGARD

Portable Satellite TV Antenna

Economical antenna weighs only 11 pounds and requires one-time assembly. Feed arm detaches and stores on back of dish when not in use. Includes 18" dish, 20' coax cable, and a 5' jumper cable for use with signal meter (sold separately). Not compatible with DIRECTV satellite 110° or KA-band satellites.

PM-2000 Portable Antenna

WINEGARD

Satellite Finder Meter

Meter with audio tone helps you align satellite antenna to signal. Includes coax for installing meter between satellite antenna and receiver.

SF-1000 Satellite Finder

WINEGARD

Satellite Alignment Compass

Use local zip code to obtain azimuth setting from satellite receiver. Aim your dish in the direction indicated by the compass. Easy to read instructions printed on compass.

SC2000 Satellite Compass



WINEGARD

Single Satellite Dish/Mount

You have a satellite TV system on your RV but want satellite TV viewing in your home. Winegard offers a home system without a receiver, Model DS-4148 includes an 18" antenna, lift system, LNBF, and installation hardware. Simply install the antenna on the home and transfer the DSS receiver from the RV to the home.

DS-4248 Single-Satellite Dish



WINEGARD

Heavy Duty Tripod Mount

Sturdy powder-coated steel tripod mount with 1.66" OD mount pipe compatible with all DISH Network, Shaw Direct and Bell TV™ home antennas, plus all DIRECTV antennas except Slimline. Fully adjustable legs allow up to a 45° angle setting for ultimate stability and expand and retract between 28" – 37" for an optimal setting. Includes handy nylon bag which attaches to leg when not in use to store 3 ground anchors, satellite alignment compass and bubble level also included. Tripod folds to 36" requiring minimal storage space. Wt. 10-1/2 lbs.

TR-3535 Multi-Sat Tripod Mount



WINEGARD

Tripod Mount

Ideal when permanent mounting is not desirable. Great for short stops, wooded areas, boat docks, decks, etc. Azimuth degree markings molded in. Includes removable legs, ground anchor, bungee cord, compass and level. Works with standard 18-inch home single satellite viewing dish. Not for use with portable antenna models. 8-1/4" x 8-1/4" x 19". Weight: 5 lbs.

TR-2000 18" Dish Tripod Mount



WINEGARD

Crank-Up Satellite Antenna

Raise, lower and rotate this 18" dish with the hand crank inside vehicle. Digital Magic elevation sensor makes finding the satellite easy. After you park, the LCD readout inside your vehicle shows the exact elevation of the dish within 2 degrees, even if not parked level.

RM-DM46 Crank-Up Antenna W/Digital Magic

80

RM-4600 Crank-Up Satellite Antenna



WINEGARD

Digital Magic Sensor

Gives exact elevation of the antenna on an LCD readout inside vehicle. Accurate to within 2° even when the vehicle is not level. Sensor is installed on the elevating tubes or the back of the antenna and wired to the wall plate. Includes 20' of 3-conductor cable. Requires + 12 VDC or a 9V battery. Ideal for crank-up satellite antennas.

DM-4000 Digital Magic Sensor



WINEGARD

Exterior Satellite Roof Wedge

Designed to level satellite TV antenna on vehicle with uneven roof. For vehicles with extremely sloped roofs, multiple wedges may be needed. For use with RM model Winegard crank-up satellite antennas.

RW-5000 Exterior Roof Wedge



WINEGARD

Coaxial Cable

High performance low loss coaxial cable with weather-proof connectors in 25' and 50' lengths.

CX-0625 RG6 Coaxial Cable - 25'

CX-0650 RG6 Coaxial Cable - 50'





Wingman DTV Upgrade for Sensor Antennas

Maximize your Winegard Sensor II or III batwing antenna's performance with a Wingman. The lightweight, sleek add-on attaches with simple snap-on screws to the Sensor head to increase UHF performance up to 100% for complete VHF/UHF reception at a very low cost. Compatible with Sensors manufactured after 1990. Elements are powder coated white for long lasting durability in harsh environmental conditions. Requires 10" from edge of Sensor head to nearest obstruction. Dimensions: 16.5" w x 14" d x 1.4" h; weight, 1 lb. U.S. Patent D612,369.

RV-WING Wingman Sensor Upgrade



Sensor IV HDTV Antenna

Winegard has taken the powerfully performing Sensor III antenna and integrated it with the UHF enhanced Wingman antenna for the ultimate in over-the-air TV viewing! Optimized for the new DTV spectrum, this amplified antenna receives all available VHF/UHF channels so you can enjoy watching all your favorite local programs while parked. Raise, lower and rotate the antenna with hand crank from inside your RV. It's easy to install and lowers to only 4" inches above the roof while traveling. Integrated Sensor head requires 46.25" L x 15.25" W, unobstructed roof space while stowed. RVW-395 includes amplified antenna and lift assembly, +12 VDC white power supply with on/off switch, white interior control parts and 20 feet of 75 ohm coax cable. U.S. Patent D620,483.

RVW-395 Sensor IV Antenna

RVW-205 Sensor IV Replacement Head



SensorPro TV Signal Meter

Designed to work with all amplified Sensor antennas, the SensorPro replaces your current power supply and makes peaking on digital channels a breeze. SensorPro is an all in one product that acts as a signal meter, adjustable amplifier and wall plate power supply for your Sensor antenna. It is ready out of the box and can be customized for specific search modes eliminating guesswork and frustration. Built in amplification can give you up to 10 dB of gain for increased performance or the ability to lower the gain when positioned near a tower. Adjustable audio feedback comes in handy when the wall plate is out of sight or reach. High grade electronic digital tuner focuses only on U.S. digital broadcast frequencies and ignores non-TV broadcast signals to provide precise and accurate channel readings. Proudly designed, tested and built in the U.S.A.

RFL-342 SensorPro TV Signal Meter



Sensor III HDTV Antenna


This HD antenna is the most popular over-the-air RV TV antenna in America! Built-in amplifier and unique circuitry provides clear VHF/UHF reception whenever you park your RV. Raise, lower and rotate the antenna with hand crank inside your RV. It's easy to install and lowers to only four inches above the roof while traveling. 01-0030 includes amplified antenna and lift assembly, +12 VDC white power supply with on/off switch, white interior control parts, 20 ft. of 75 ohm coax cable, 6 ft. TV set cord. RV-7020 includes amplified antenna/lift, white control parts, no power supply or cable. Sensor head U.S. Patent D500,496. Motorized Sensor U.S. Patents D500,496 and 7,358,909.

RV-3095 Amplified Antenna/Lift

RV-2005 Amplified Head Only

RV-7095 Amplifier Antenna No Power Supply

MW1000W Motorized Sensor



Motorized Sensor HDTV Antenna

No more hand cranking! Raise, rotate and stow the over-the-air Motorized Sensor HD antenna with the user friendly control panel from inside the RV. Handy warning indicator alerts user by flashing all control panel LEDs when obstruction occurs. Manual override in case of power outage. The VHF/UHF amplified antenna is bi-directional and must be pointed toward the station you want to watch while parked. Wall plate power supply has built-in 2-way splitter for second TV outlet and cable TV input. Raises to 33-1/2" and stows to only 5-1/2" for travel. Sensor head U.S. Patent D500,496 and Patent Numbers are D500, 496 and 7,358,909.

MA1000W Motorized Sensor Antenna



Dealer Replacement Parts Kit

Now you can keep the most commonly used Winegard replacement parts in one convenient, stand alone container. The RP-KIT1 comes fully assembled with a slide off top and labeled pull out drawers for easy access and reordering. Full box measures 45" x 19" x 15" and weighs 33 lbs.

RP-KIT1 Dealer Replacement Parts Kit



Crank Handles

Don't let a broken handle keep you from raising your Winegard sensor antenna. Pick up a replacement handle for your antenna today.

RP-6795 White

RP-5000 Ivory



Power Receptacle

Twelve volt DC power supply for RoadStar or Sensor antennas in a flush mount wall plate. Includes on/off switch with LED, +12 VDC receptacle, input for cable or TV antenna, built-in splitter for second TV and second F-jack for an outside TV source such as cable.

RV-7042 White

RV-7012 Ivory



TV Outlet/Receptacle

TV outlet with 75 ohm input/output and +12 VDC receptacle. Flush mounts in standard electrical box.

TG-7341 White

TG-7321 Ivory



Satellite/TV Wall Plate

Twelve volt DC power supply features dual jack input enabling you to receive satellite signals and off-air TV. Features built-in 2-set splitter and flush mount wall plate.

RV-7542 Wall Plate Satellite & TV Hookups



RoadTrip Upgrade Kit

Designed for pre-2009 12" RoadTrip models. Electronic board upgrade kit allows antenna to receive DISH Network HD programming from KU-Band satellite 129deg. Toggles between all three DISH Network satellites. For installation under the dome.

RT1205 Upgrade Kit Stationary To In-Motion

WINEGARD

Dish 1000 Antenna

Enjoy your Dish Network programming, including all available High Definition channels from all three KU-Band satellites 110°, 119°, and 129°. Includes combination mount for home mounting or take it with you on the road with the Winegard heavy duty tripod mount, (not included). Connect the antenna to your digital satellite receiver and access up to 1000 channels of crystal-clear digital programming. Multiple receiver capable. (check with Dish Network for receiver compatibility with Dish 1000 antenna).


DS-1005 Multi-Satellite Dish 



WINEGARD

Dish 500 Antenna

Watch up to 500 channels including available HD programming located on satellites 110 degree and 119 Degree. Fits heavy duty tripod mount (sold separately). Multiple receiver capable. (Check with DISH Network for receiver compatibility with DISH 500 antenna).

DS-5005 Multi-Satellite Dish 



WINEGARD

Multi-Satellite Viewing Tripod Mount

Sturdy galvanized steel E-coated tripod mount with 1.66" OD mount pipe. Mount and pipe together measure 45-1/4" when folded in storage. Designed for secure mount of multi-satellite viewing antennas. Mount comes completely assembled with adjustable feet for fast set-up. Includes handy black heavy nylon drawstring carry bag which holds mount, ground anchors, satellite alignment compass and bubble level. Bag measures 9-3/4" X 49" and has drawstring end and zippered side pocket for holding compass, level, and ground anchors when not in use. Shipping weight: 12 lbs.

TR-3500 Multi-Satellite Tripod 



WINEGARD

Video Switch 5-In/3-Out

With a touch of a button, you can watch different programming on 2 TV sets, whether programs are received from satellite, cable, standard TV antenna, or your VCR. 5 inputs, 3 outputs. In addition, you can record your favorite program on your VCR while watching another.

VS-5312 Video Switch 



WINEGARD

Digital Smart Compass

World's smallest and lightest digital compass. Instant directions and due-north LCD read-out. With water resistant case, compass is highly accurate and easy to use. Comes with keychain clip or lanyard. Requires lithium battery, included. Compass measures 1-1/4" x 2".

SC-8000 Digital Compass 



WINEGARD

Digital HD Receiver

Enjoy crisp, clear digital/HD picture and sound. For use with analog TVs or HDTVs without and ATSC HD tuner. Dimensions: 8.5"W x 1.5"H x 6.5"D. 120-volt. Includes AC/DC adapter, RF cable, remote control and instructions.

RC-1010 Digital HD Receiver For Local Digital Channels



WINEGARD

Traveling Channel Guide

Find your local channels fast! A must have for Sensor and over-the-air antenna owners! A quick and easy way to find local over-the-air programming channels (ABC, CBS, NBC, FOX, PBS) throughout the U.S., plus Alaska and Hawaii. Includes both digital and analog channel listings organized by state, city and network.

WC-4000 Traveling Channel Guide



State	City	Digital	Analog	Call Sign
FLORIDA	BOCA RATON	44	63	WFTS
	BRADENTON	42	66	WXPX
	CAPE CORAL	36	64	WFTS
	CLEARWATER	21	22	WCLF
	CLEARWATER	17	18	WVCE
	DADE	53	52	WTOG
	DADE	30	68	WBOC
	DAYTONA BEACH	11	2	WESH

WINEGARD

RoadStar HDTV Antenna

The RoadStar antenna is Omnidirectional, continuously receiving VHF/UHF/FM signals from all directions, even while on the road. You'll never have to adjust it, even on winding roads. Built-in, solid-state amplifier boosts signals an average of 15 dB on VHF, 20 dB on UHF. Dimensions: 10-3/8" High X 21-1/2" Diameter.

RS-2000 Antenna




WINEGARD

Hideaway HDTV Antenna

The Hideaway omnidirectional over-the-air antenna opens and closes like an umbrella; stores in weather-protected tube with rain cap when traveling. VHF/UHF/FM antenna receives signal in all directions without rotator. Includes 15' 75 ohm cable with connectors and mounting hardware.

HA-0130 Hideaway Antenna




WINEGARD

Dipole HDTV Antenna

Dipole bi-directional type TV-FM antenna for all RV applications. Straight forward dipole, 82-channel RV antenna provides improved reception over indoor type. Easy to install with only a screwdriver. Lowers to side of vehicle when not in use. Complete kit includes hardware, mast and downlead.

RV-7020 HDTV Antenna



WINEGARD

Exterior Roof Wedge For Sensor Antennas

Installs easily between the roof and the Winegard antenna or satellite dish to help straighten those slanted or rounded roofs. Made of high impact plastic. Pre-drilled to match the Winegard base.

RW-2000 Roof Wedge



WINEGARD

Thick Roof Kit For Sensor Antennas

Designed for RV roofs that are 5" to 6-1/4" thick. Use with Sensor or satellites RD-4600 or RD-4610. Includes elevating shaft and a directional handle extension.

RP-4200 Thick Roof Kit



WINEGARD

Satellite Antenna Interior Ceiling Control Parts

Replacement interior control parts kit for manual crank-up satellite antennas. Includes ceiling plate, azimuth assembly and hand crank.

RK-CEIL Ceiling Control Parts Kit





Satellite Antenna Interior Hand Crank

Replacement interior hand crank for manual crank-up satellite antennas.

RK-HAND Crank Handle Kit



Dual Cable Entry Plate

Molded plastic plate for weatherproof entry of multi-conductor cable. Use for dual coax systems.

CE-2000 Cable Entry Plate



Tenna Tool

Tightens 15/16 nut holding gear housing to base plate.

TT-1000 Tenna Tool



2-Way Splitter

Cast metal housing with ground connection. F-type connections. 75 ohm. AC/DC passive all sides. Indoor use.

SP-1X02 2-Way Splitter, Bulk Package



KING CONTROLS Portable Satellite TV System

Used as a primary satellite TV antenna or as a back-up to your roof mounted antenna when parked in a wooded campsite, the VQ1000 is affordable and much easier to use than traditional portable dishes. Just set it on the ground, picnic table or anywhere you have a view to the southern sky and use the wireless remote control to point the dish from inside your RV. No need to level. Can be used for tailgating, trips to the cabin, backyard barbecues or virtually anywhere.

VQ1000 Remote Controlled Positioning - Wireless Remote



KING CONTROLS **NEW** Tailgater™ Portable Satellite Antenna

A first of its kind portable satellite antenna system with never seen before features and benefits. Compatible with Dish Network HD & SD programming using the Western Arc of satellites, the Tailgater has fully automatic satellite acquisition and switching with integrated software that eliminates the need to run check switches. A single coax cable installation for quick system installation and one remote control operates the Tailgater Dish receiver and TV. Custom designed user interface and graphics with the ViP211k Solo receiver for easy set-up and the best user experience. Use with Dish Network's pay-as-you-go programming or add to your existing home service account. Half the price of current portable automatic satellite systems, but without the set-up hassles. Compact, lightweight and water tight seal, also includes built-in security ring for theft protection.

VQ2500 Tailgater™ Portable HDTV Antenna



KING CONTROLS **NEW** Automatic Roof Mount Satellite Antenna



For the first time ever an antenna to communicate directly with the satellite receiver and eliminate all the hassles of set-up. Simply turn your receiver and TV on to display a custom user interface search screen. Using the satellite receiver's remote control, select the state you are in and scan. Within minutes the antenna finds all 3 HD satellites and downloads the programming. Dish HD & SD (110, 119 & 129 satellites). Completely automatic acquisition and switching. Single coax connection, no power cables. Requires customer supplied Dish Model ViP211k receiver.

KD-5500 White

KD-5500-B Black

KING CONTROLS SureLock

Pinpoints the location of local DTV towers; Eliminates the need for multiple channel scans; Connects to the antenna TV output or in-line; Variable sensitivity adjustment; Kit Includes: Signal Meter, 9V PP3 type battery, coaxial connectors, & velcro mounts. Dimensions: 3.5"L x 3.2"W x 1"D.

SL1000 Digital TV Signal Meter



KING CONTROLS **NEW** Jack Digital HDTV Antenna

Jack Digital HDTV Antenna + Mount with SureLock™ DTV Signal Meter Roof Mount Over-the-Air Antenna Systems. Dimension & Weight: 12.5"L x 16"W x 11.25"H (2.3lbs). Enclosure / Mount: ASA - Automotive Grade. Frequency Bands: VHS (47-230MHz) - 20 dB gain UHF (470-860 MHz) - 25 dB gain. Powered Amplifier: +12-volt / 100mA working Power supplied via wall mount power switch Mfg. # 21015 White with inputs for antenna and cable and 2 TV outputs. Signal Meter Frequency Response: 40-862MHz (Channels 2-69).

OA-8200 White

OA-8201 Black



KING CONTROLS Jack Replacement Heads

Compact design with built-in amplifier replaces Sensor antenna head for better reception of new digital channels. Install in minutes without special tools. Combine with King-DomeAIR to get maximum, multi-directional coverage of local off-air digital and HD channels.

OA-8000 Replacement Head - White

OA-8001 Replacement Head - Black



KING CONTROLS **NEW** Dish Network HDTV Receiver



The single tuner Solo ViP211k HD receiver is the most versatile satellite receiver for RV use. While it is compatible with a variety of satellite antennas, it includes custom integrated software for the VQ2500 and KD5500 antennas. The compact design (1.9"H x 13.2"W x 10.2"D) requires minimal cabinet space and runs cooler than other receivers. A built-in digital over-the-air tuner lets you scan for local channels and provides a seamless program guide for both satellite and local OTA channels without switching the TV input. Add to your existing Dish Network home account or start a new pay-as-you-go account to purchase service in 30 day increments with no contracts or commitments. DVR ready - just connect your own external hard drive and pay a one-time nominal fee to enjoy DVR features with no recurring monthly DVR fee. Record, pause and re-wind live satellite and over-the-air programs. Includes HDMI cable and universal IR remote to control the receiver, TV and 2 other devices. DISH Network is a trademark of DISH Network.

ViP211k DISH Network Solo ViP211k HD Satellite Receiver

SPECIAL ORDER

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

barker Exterior Plate For Cable TV Hook-Up

Equipped with a threaded cap that is attached to the plate with a chain to prevent loss. Cap may be screwed on to the coax fitting when not in use to eliminate moisture and dust from entering the jack. Creme colored. Display package.

15604 Hook-Up Plate



Prime PRODUCTS Cable TV Lead-In Kit

Hook up your RV to get cable TV while camping. Includes 1 exterior plate with weatherproof cap, 1 interior plate and 48" of coaxial cable. 1 per card. For weather-proof use on roofs, has 75ohm connector on both sides.

08-6024 Polar White



Prime PRODUCTS Weatherproof TV/Phone Hook-Up

Weatherproof TV / Phone hookup with two 75 ohm "F" style connectors and phone jack.

08-6305 Duplex Ext. TV/Phone Hook-up, White



Prime PRODUCTS Cable Lead in Kit

Hook up your RV to take advantage of cable or satellite TV offered at many parks. Kit includes one exterior plate with weatherproof cover, one interior plate and 34" of coaxial cable. 1 per card.

08-6215 Polar White



JR JR PRODUCTS Phone & Cable Plate

One piece Phone/Cable Plate is constructed of durable plastic that won't rust, fade or discolor. Access covers are constructed as part of the plate. Easy installation or replacement anywhere a cable TV and phone hookup is needed.

543-A-2-A Phone/Cable Plate, Polar White



Prime PRODUCTS Coax Cable

Premium quality RG6U coaxial cable provides outstanding color and reception. Use this type of cable for connecting TV's, VCR's, & DVD's to your antenna or cable TV source. White cable with gold plated connectors. 1 cable per pack.

08-8023 25' RG6U Coax Cable

08-8024 50' RG6U Coax Cable



WINEGARD Coax Cable

Extension cable for Winegard satellite antennas in 25' and 50' lengths.

CX-0025 RG59 x 25'

CX-0050 RG59 x 50'



Prime PRODUCTS Cable TV Hook-Up Kit

Colonial White Cable TV Hook-Up Kit - Hook up your RV to get cable TV while camping. Kit Includes: 1 - exterior plate with weatherproof cap, 1 - interior plate and 48 inches of coaxial cable. 1 kit per package. Colonial White in color.

1506840 Cable TV Hook-Up Kit



Prime PRODUCTS TV Receptacle Hook-Up

White Exterior TV Receptacle - Weatherproof park TV hookup with 75ohm F style connector for connecting cable, satellite or outdoor TV. White in color.

1571122 75-OHM F Style Connector TV Receptacle



Prime PRODUCTS Exterior TV/Phone Receptacle

Polar White Duplex Exterior TV/Phone Receptacle - Weatherproof TV/Phone hookup with 2 - 75ohm F style connectors and phone jack. Polar White in color.

1609107 Duplex Exterior TV/phone Receptacle, Polar White



Prime PRODUCTS Coax Splitter

Inline coaxial splitter easily goes from one in to two cable connections out. All metal with ground connection. Indoor use only. 1 per card.

08-8012 Coax Splitter



Prime PRODUCTS Coax Connectors

F-type coax cable ends for RG6U coax cable. Plated connectors allow you to repair or change cable length to your needs. Sold separately.

08-8013 Coax Connectors 4-Pack



Prime PRODUCTS Coax Cable Coupler

Inline coax connector allows the quick union of two cables for additional length. 1 per card.

08-8011 Coax Cable Coupler



barker TV Shelf

Special tensioning device secures TV for comfortable viewing from any angle. Constructed of die-cast aluminum and finished in a golden tan color. 40 pound maximum capacity.

11333 Swivel TV Shelf



JR JR PRODUCTS Cable TV Plate

Round Cable TV Plate. Constructed not to rust, fade or discolor. Easy installation, simply attach your cable wires and place putty tape around base and mount with three screws. Comes with a rubber dust cover.

476-B-2-A Round - Polar White



JR JR PRODUCTS Phone Plate

UV stabilized, fade and water resistant, low profile design and easy to install.

476-A-2-A Round - Polar White



barker

Amplifier W/Cable TV Switch

Amplifier features special high-gain, low-noise circuitry, as well as complete diode protection to prevent damage to electronic components should hook-up be made with incorrect polarity. The new design permits the amplifier to function properly even when DC voltages range from 10 to 22 volts. Other features include on/off switch, 12-volt convenience outlet, secondary bedroom outlet and operation light. Also permits owner to select cable TV if his unit is connected to a cable system.



20325 Ivory



TV Grip

A welcome addition to any boat or RV! New TV Grips hold portable TVs and appliances safely and securely. Many times stronger than shock cord or hook & loop fasteners. 3M adhesive removes cleanly. Safe for use on gloss wood finishes. Two-corner kit recommended for up to 13" TV or similar size equipment.



MRV-100WT White

MRV-100BK Black



Super Grips

Larger fasteners double the strength of TV Grips. Provide stronger protection for larger, heavier equipment. Hold safely in heavy seas and off-road conditions. 3M adhesive pads can be attached for temporary use (on trips), or used for permanent attachment. Two-corner kit recommended for 13" TV/VCR combinations.




MRV-200WT White

MRV-200BK Black



DVD Radio

108 watt wall mount stereo with DVD, CD, AM/FM, has three zone audio output for front, bedroom and outdoor sound. Use the front USB input to play personal music files, plus rear audio input for TV sound or satellite radio. Has 30 station presets, clock with sleep timer and alarm, wireless remote control. Dimensions: 10-1/2"W x 7"H x 5-1/2"D



AWM975 Jensen® Wall Mount DVD Radio




CD Player

Wall mount CD and AM/FM stereo with CD player features electronic CD skip protection (ESP). Plays CD/CDR/RW, mechanical tune AM/FM radio with backlit digital display and controls. 12-volt DC power, vertical CD mechanism, volume, bass, treble, and balance controls. Preset EQ (jazz, rock, pop, classic), clock & alarm, speaker selector switch (A, B, A+B), aux input, headphone jack and high output power (25W x 2). Dimensions: 10-1/2"W x 7"H x 5-1/2"D



AWM910 CD Player Black



LCD TV

Enjoy your favorite TV shows or movies in dazzling picture clarity and superior sound quality on the only LCD TVs designed specifically for RV use. Built to withstand rugged road conditions, extreme temperatures, vibrations and voltage variations. The subframe consists of a reinforced internal structure and integrated mounting points. Single-piece metal chassis houses all internal components and does not rely on the plastic cosmetic cabinet as a mounting point, offering increased strength and stability for mobile environments. Convenient front controls and front speakers. Comes with remote and table stand. Can be wall mounted with optional bracket. 19" TV: 20.4"W x 15.2"H x 3"D. Weight 14 lbs. 26" TV: 26.8"W x 18.7"H x 3.7"D (without stand). 23lbs.



JE1909RTL Jensen 19" LCD TV

JE2608RTL Jensen 26" LCD TV

Master Lock Vehicle Hitch Alignment Camera



The Master Lock Vehicle Back Up and Hitch Alignment Camera is an easy to install camera that slides into 1.25 inch or 2 inch hitch tubes for use while not towing.

4843DATSEN Vehicle Back Up & Hitch Alignment Camera



Wireless Camera System

Featuring high quality and durability, VisionStat wired and wireless color camera systems were developed to adapt to the safety needs of our customers. Camera systems can be configured for up to four (4) infrared night vision CCD cameras with multiple mounting options and the flexibility of a 2.4 GHz wireless system or an easily installed wired system. All cameras for front, side and rear viewing are waterproof and produce high resolution images with a wide field of view. All control electronics are built into the Color video monitor which can be installed by mounting on the dash, in dash or on the windshield.



1134 VisionStat Single Camera System (7.0" Wireless Monitor)

1114 VisionStat Single Camera System (5.6" Wireless Monitor)



Wired Camera System

Featuring high quality and durability, VisionStat wired and wireless color camera systems were developed to adapt to the safety needs of our customers. Camera systems can be configured for up to four (4) infrared night vision CCD cameras with multiple mounting options and the flexibility of a 2.4 GHz wireless system or an easily installed wired system. All cameras for front, side and rear viewing are waterproof and produce high resolution images with a wide field of view. All control electronics are built into the Color video monitor which can be installed by mounting on the dash, in dash or on the windshield.



1102 VisionStat Triple Side View Camera System (7.0" Wired Monitor)

1103 VisionStat Single Camera System (7.0" Wired Monitor)

1125 VisionStat Triple Side View Camera System (5.6" Wired Monitor)

1172 VisionStat Single Camera System (7.0" Wired Monitor) W/License Plate Camera

1168 VisionStat Single Camera System (3.5" Wired Monitor)

1126 VisionStat Single Camera System (5.6" Wired Monitor)



Introducing the New Wave of RV Audio

Special Performance Audio

Products from PQN provide innovative design with high performance and quality. Fully waterproof and UV resistant; PQN products are ideal as replacements or new installs.



The **SPA25** is a 2.5" compact speaker with great sound and an integrated Blue LED for accent show. MAX 30W, Black 4 ohm. Dimen: 3.35x4.75x1.5"D

The **SPA22** is a 2" 2-way compact speaker



delivering a clean and crisp audio performance. MAX Power: 25W; Black, 4 ohm. Dimen: 2.75x3.75x.6x1.25"D



The **ECO** speaker line is available in both 5" & 6" models. **ECO** speakers provide mounting depths of less than 1". Ideal for both walls and ceilings. Waterproof and RoHS compliant. Max Power: 30W, White 4 ohm

The NEW **EASY AMP**

is a MP3 docking amplifier providing an affordable 2-channel alternative to expensive stereos. Installs quickly and works perfectly with our SPA and ECO speakers and all standard MP3 and video/audio devices.

Low 1 Amp power consumption; Max Power: 30W.

Dimen: 1.25"H x 1.75"D x 4"W



2" Waterproof Speakers



All-environment outdoor audio speaker products are designed and constructed to meet today's most stringent conditions. PQN audio speakers meet performance standards required of weatherproof speakers and will provide years of performance. Low profile designs for cabinet and ceiling installations. Measuring 2.75"x3.75"x.70", the Spa22 2 Way speakers can be installed where other audio speakers will not fit. The Spa22's 2" driver and 1" tweeter are constructed with UV and weather resistant materials providing a Large Audio Footprint from a Compact Product. Mounting Depth 1.5".

SPA22-4BK 2-Way Waterproof Audio Speaker



2.5" Waterproof Speakers



All-Environment Outdoor Audio Speaker Products are designed and constructed to meet today's most stringent conditions. PQN Audio Speakers meet performance standards required of weatherproof speakers and will provide years of performance. Low profile designs for cabinet and ceiling installations.

SPA25-4BKLD 2.5" Waterproof Audio Speaker



Flush Mount Speaker



ECO Ultra-Slim Waterproof Speakers are designed for restricted space installations. Less than <1" mounting depth makes the ECO series ideal for Camper and RV ceiling and side wall application.

EC050-4W 5" Ultra-Slim Waterproof Audio Speaker

EC060-4W 6" Ultra-Slim Waterproof Audio Speaker White 1" D



MP3 Docking Amplifier

Powerful enough for our SPA25 or SPA22 speakers. Listen to any MP3 device, Ipod or other portable audio / video player. Easy dash mount installation. Low power consumption. Perfect for golf cars, towables, boats, marine and campers. Travel without needing bulky CD collections. Ideal for rental applications



SPA-EA MP3 Docking Amplifier 30W 2-Channel

Voyager™ Rear Vision System



No cables to run! Finally, a wireless rear view camera system that works!

Voyager's WiSight™ digital wireless technology is a patented new scientific breakthrough in wireless video that eliminates the interference and noise found in typical analog wireless systems. The camera's transmitter is digitally locked to the monitor's receiver for a sharp clear wireless picture. The WiSight™ signal is so powerful it can travel through RV walls with over a 60 foot range. The monitor's suction cup mount and cigarette lighter plug allow for easy storage or portability between vehicles. Monitor: 5-7/8" W x 5-1/4" H x 2-5/8" D; Camera: 3-3/8" W x 1-3/4" H x 1-3/4" D..

WV0511 Wireless Observation System 5.6"

MOBILE AWARENESS Wireless Camera



VisionStat Portable is a safe & convenient solution for all types of towing applications. System is easily installed allowing the driver to back-up and align the towing vehicle with a removable, handheld 2.4" color monitor. Rechargeable, handheld monitor. Night vision enabled camera / magnetic base. (2) chargers - AC power adapter - Cigarette Lighter adapter. Windshield suction cup & Vent clip mount. Reverse Image control, contrast control & Brightness control. Use where visibility is compromised.

1140 Visionstat Portable Wireless Color Camera System

MOBILE AWARENESS Obstacle Detection Sensor System



Commercial vehicle owners now have an effective solution to help prevent backing accidents, property damage and insurance liability expense. Based on a leading-edge wireless technology, the Mobile Awareness system is easy and inexpensive to install and maintain. The waterproof sensors and ECU (Electronic Control Unit) mount with just 10 screws and two wires connected to the backing lights. The dash mounted Warning Display Unit only requires a 12v and ground connection to complete the installation.

1501 SenseStat Obstacle Detection Sensor System (Wireless Antenna)

1504 SenseStat Obstacle Detection Sensor System (Box Truck)